



# AFCTN Test Report 93-065

AFCTB-ID  
93-022



## Technical Publication Transfer

Using



Northrop Corporation Data

MIL-D-28000A (IGES)  
MIL-D-28001A (SGML)  
MIL-R-28002A (Raster)  
MIL-D-28003A (CGM)

Quick Short Test Report



16 April 1993



Prepared for

Electronic Systems Center

DTIC QUALITY INSPECTED 5

DISTRIBUTION STATEMENT A

Approved for public release;  
Distribution Unlimited

**Technical Publication Transfer**

**Using:**

**Northrop Corporation's Data**

**MIL-D-28000A (IGES)**

**MIL-M-28001A (SGML)**

**MIL-R-28002A (Raster)**

**MIL-D-28003 (CGM)**

**Quick Short Test Report**

**16 March 1993**

---

**Prepared By**

Air Force CALS Test Bed  
Wright-Patterson AFB, OH 45433

**AFCTB Contact**

Gary Lammers  
(513) 427-2295

**AFCTN Contact**

Mel Lammers  
(513) 427-2295

## DISCLAIMER

This document was prepared as an account of work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the  
National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

---

---

## Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	2
2.	Test Parameters.....	3
3.	1840A Analysis.....	6
3.1.	External Packaging.....	6
3.2.	Transmission Envelope.....	6
3.2.1.	Tape Formats.....	6
3.2.2.	Declaration and Header Fields.....	6
4.	IGES Analysis.....	7
5.	SGML Analysis.....	7
5.1.	Document One.....	7
5.2.	Document Two.....	9
6.	Raster Analysis.....	10
7.	CGM Analysis.....	10
8.	Conclusions and Recommendations.....	11
9.	Appendix A - Tapetool Report Logs.....	12
9.1.	Tape Catalog.....	12
9.2.	Tape Evaluation Log.....	13
9.3.	Tape File Set Validation Log.....	18

10.	Appendix B - Detailed IGES Analysis.....	21
10.1.	File One.....	21
10.1.1.	Parser/Verifier Log.....	21
10.1.2.	Output Cadkey v5.02.....	25
10.1.3.	Output IGESView.....	26
10.1.4.	Output iges2draw/IslandDraw.....	27
10.1.5.	Output Preview.....	28
11.	Appendix C - Detailed SGML Analysis.....	29
11.1.	Exoterica Parser.....	29
11.1.1.	Document Two - DTD Log.....	29
11.1.2.	Document Two - Text File.....	29
11.2.	SGML Parser Logs.....	30
11.2.1.	Document One - DTD Log.....	30
11.2.2.	Document Two - DTD Log.....	32
11.2.3.	Document Two - Text Log.....	32

## 1. Introduction

### 1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-Cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

---

## 1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Northrop Corporation's interpretation and use of the CALS standards in transferring technical publication data. Northrop used their CALS Technical Data Interchange System to produce data, in accordance with the standards, and delivered it to the AFCTN technical staff on a 9-track magnetic tape.

## 2. Test Parameters

Test Plan: AFCTB 93-022

Date of  
Evaluation: 16 March 1993

Evaluator: George Elwood  
Air Force CALS Test Bed  
HQ ESC/ENCP  
4027 Colonel Glenn Hwy  
Suite 300  
Dayton, OH 45431-1672

Data  
Originator: John Kent  
Northrop Corporation  
B-2 Division  
L591/GK  
8900 E. Washington Blvd  
Pico Rivera, CA 90660-3765  
(310) 948-0624

Data  
Description: Technical Manual Test  
2 Document Declaration files  
2 Document Type Definition (DTD)  
2 Output Specifications (OS)  
1 Initial Graphics Exchange Specification  
(IGES) file  
2 Text files  
1 Raster file  
1 Computer Graphics Metafile (CGM) file

Data  
Source System:

IGES

### **HARDWARE**

Unknown

### **SOFTWARE**

Unknown

---



---

Text/Standard Generalized Markup Language (SGML)

HARDWARE  
Unknown  
SOFTWARE  
Unknown

Raster

HARDWARE  
Unknown  
SOFTWARE  
Unknown

CGM

HARDWARE  
Unknown  
SOFTWARE  
Unknown

Evaluation Tools Used:

MIL-STD-1840A (TAPE)

SUN 3/280

AFCTN Tapetool v1.2.8 UNIX  
Texas Instruments (TI) Tapetool v1.0.1  
XSoft CAPS/CALS v40.4

MIL-D-28000 (IGES)

Sun SparcStation 2

ArborText iges2draw  
IGES Data Analysis (IDA) Parser/Verifier v92  
IDA IGESView v3.05  
International TechneGroup Incorporated  
(ITI) IGES/Works v1.3

Cheetah Gold 486

AUTODESK AutoCAD 386 R12  
Cadkey Cadkey v5.02

MIL-M-28001 (SGML)

Cheetah Gold 486

Exoterica XGMLNormalizer v1.2e3.2  
McAfee & McAdam Sema Mark-it v2.2.2  
Public Domain sgmls

MIL-R-28002 (Raster)

SUN SparcStation 2  
AFCTN validg4  
AFCTN calstb.475

MIL-D-28003 (CGM)

SUN SparcStation 2  
AFCTN validcgm  
Cheetah Gold 486  
Advanced Technology Center  
(ATC) MetaCheck R 2.05

Standards

Tested:

MIL-STD-1840A
MIL-D-28000A
MIL-M-28001A
MIL-R-28002A
MIL-D-28003

### **3. 1840A Analysis**

#### **3.1 External Packaging**

The tape arrived at the Air Force CALS Test Bed (AFCTB) enclosed in a box in accordance with ASTM D 3951. The exterior of the box was marked with the magnetic tape warning label, as required by MIL-STD-1840A, para. 5.3.1.3.

The tape was not enclosed in a barrier bag as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed the label indicating the recording density, as required by MIL-STD-1840A, para. 5.3.1. Enclosed in the box was a packing list showing all files recorded on the tape.

#### **3.2 Transmission Envelope**

The 9-track tape received by the AFCTB contained MIL-STD-1840A files. The files were named per the standard conventions.

##### **3.2.1 Tape Formats**

The tape was run through the AFCTN *Tapetool* v1.2.8 utility. No errors were encountered while evaluating the contents of the tape labels.

The tape was read using TI's version of *Tapetool* without reported error.

The tape was also read using XSoft *CAPS read1840A* utility without reported error.

##### **3.2.2 Declaration and Header Fields**

No errors were found in the Document Declaration File or data file headers on the tape using the AFCTN *Tapetool*. When the data files were being evaluated using the TI version of *Tapetool*, a Core Dump was generated at the start

---

of the parsing operation on the second document.

This portion of the tape meets the CALS MIL-STD-1840A requirements.

## 4. IGES Analysis

The IGES file was evaluated using IDA's *Parser* and *Verify* utilities set for CALS Class I. No errors were reported.

The AFCTB has several tools for viewing IGES files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings.

The IGES file was read into IDA's *IGESView* without a problem. The image displayed and printed correctly.

The file was read into ITI's *IGESWorks* without a problem. The image displayed and printed without a problem.

The file was converted using ArborText's *iges2draw* utility without a reported error. When the file was read into Island Graphics' *IslandDraw* only the right part of the image was displayed and printed.

The IGES file meets the CALS MIL-D-28000A specification.

## 5. SGML Analysis

### 5.1 Document One

The tape contained two DTDs, two text files, and two output specifications.

The DTD from the first document set was evaluated using Exotercia's *XGMLNormalizer*. The short, unique DTD would not parse on the first attempt. The ISO capacities file had to

---

be modified to add GRPCNT of 100. If capacities larger than defined in MIL-M-28001A are used, they should be included with the document. This permitted the file to parse without error. Using the generated file, the text file was parsed. Over 300 errors were reported during this procedure. The errors were basically four types which were generated on every two lines in the text file.

The DTD element viewdef was defined as shown below. Also note the definition of viewport. Note that viewport has a required attribute of NAME.

```
<!ELEMENT viewdef - o (viewport)+>

<!ELEMENT viewport - o EMPTY>
<!ATTLIST viewport
      name          ID          #REQUIRED
      viewstyleid   NMTOKEN    #IMPLIED
      coord         CDATA      #IMPLIED>
```

Shown below is the first five lines in the text file. Note that viewport is not used while viewdef is. In the text file viewdef was an attribute of name which is not defined in the DTD. Viewport is not used but it must be used with a required attribute of NAME.

```
<doc branch="af"
      fositite="afto22">
<front>
<viewdef name="F0" coord="0 9600 8000 10000" vpfflood="white">
<all viewpa="F0">
```

Shown below are the first four reported errors in the parser log.

```
C:\XGML\XGMLNORM.EXE --
Error on line 4 in file i:\9322\d001t001:
Undeclared attribute specification.
For start tag 'VIEWDEF': Unknown attribute is 'NAME'.
No attributes are allowed for the element 'VIEWDEF'.
```

```
C:\XGML\XGMLNORM.EXE --
Error on line 5 in file i:\9322\d001t001:
```

A start tag is missing that must not be omitted.  
The element is 'VIEWPORT'.

C:\XGML\XGMLNORM.EXE --  
Error on line 5 in file i:\9322\d001t001:  
A REQUIRED attribute is missing.  
For start tag 'VIEWPORT': For REQUIRED ID attribute 'NAME'.

C:\XGML\XGMLNORM.EXE --  
Error on line 5 in file i:\9322\d001t001:  
Undeclared attribute specification.  
For start tag 'All': Unknown attribute is 'VIEWPA'.  
No attributes are allowed for the element 'All'.

Similar errors were reported when using the Public Domain parser *sgmls* and McAfee & McAdam's *Sema Mark-it* parser.

## 5.2 Document Two

The second document had a "normal" DTD and text file. The first pass through the document using the Exoterica *XGML-Normalizer* parser generated two errors. The first error was the use of a public entity set that is not defined in MIL-M-28002 and not available in the AFCTB. This statement was commented out. Use of non-standard entity sets should be avoided. If used, they must be included with the document.

```
<!ENTITY % PUBspc PUBLIC "ISO 8879-1986//ENTITIES Tech Pubs Special  
Characters//EN">
```

The parser also reported an ambiguous content model.

C:\XGML\XGMLNORM.EXE -- Error on line 466 in file  
entities/93222.dtd:  
A content model is ambiguous.  
For element 'TOC'.  
The input is 'CONTENTSENTRY'.  
<!-- The document prolog is in error. -->

The element on the defined line had **contentsentry** on the

---

---

line twice. When the line was changed to reflect only one, no errors were reported.

```
<!ELEMENT toc          - o (contentsentry*,contents?,table?) >
<!-- line above replacing below
<!ELEMENT toc          - o
(contentsentry*,contents?,table?,contentsentry*) > -->
```

The Public Domain *sgmls* and McAfee & McAdam's *Sema Mark-it* parsers also reported similar errors.

When the text file was parsed four errors were reported. All of these errors are the same. See the Appendix for this log.

The DTDs and text files do not meet the CALS MIL-M-28001A specification.

## 6. Raster Analysis

The Raster file on the tape was a Type II file which cannot be processed by the AFCTB.

## 7. CGM Analysis

The tape included one CGM file. This file was checked using ATC's *MetaCheck* with CALS options. This program reported the file was not a CGM file.

The file was checked using the AFCTN *validcgm* utility which also reported the file was not a CGM file.

An octal dump was made of the file and defined CGM components were not found.

The CGM file does not meet the CALS MIL-D-28003 specification.

## 8. Conclusions and Recommendations

In summary, the tape from Northrop Corporation was correct. The tape could be read properly using all of the tape reading utilities available in the AFCTB. The physical structure of the tape meets the CALS MIL-STD-1840A requirements.

The IGES file meets the CALS MIL-D-28000A specification.

The DTD and text files have many errors and do not meet the CALS MIL-M-28001A specification.

The Raster file was a Type II file which cannot be evaluated in the AFCTB.

The included CGM could not be read using any tool in the AFCTB and therefore does not meet the CALS MIL-D-28003 specification.

The tape submitted by Northrop Corporation does not meet CALS MIL-STD-1840A requirements.



## 9. Appendix A - Tapetool Report Logs

### 9.1 Tape Catalog

Air Force CALS Test Network Catalog Evaluation - Version 1.2; Release Number 8

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes  
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Tue Mar 16 08:43:28 1993

MIL-STD-1840A File Catalog

File Set Directory: /cals/tapetool8/Set072

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001	Document Declaration	D/00260	02048/000001	Extracted
D002	Document Declaration	D/00260	02048/000001	Extracted
D001T001	Text	D/00260	02048/000004	Extracted
D001G002	DTD	D/00260	02048/000001	Extracted
D001H003	Output Specification	D/00260	02048/000013	Extracted
D002T001	Text	D/00260	02048/000003	Extracted
D002C002	CGM	F/00080	00800/000006	Extracted
D002R003	Raster	F/00128	02048/000018	Extracted
D002Q004	IGES	F/00080	02000/000012	Extracted
D002G005	DTD	D/00260	02048/000010	Extracted
D002H006	Output Specification	D/00260	02048/000061	Extracted

Catalog Process terminated normally.

---

## 9.2 Tape Evaluation Log

Air Force CALS Test Network Tape Evaluation - Version 1.2; Release Number 8

Standards referenced:

ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes  
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Tue Mar 16 08:43:12 1993

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

VOL1ITDS01

CONTROLLER

4

Label Identifier: VOL1

Volume Identifier: ITDS01

Volume Accessibility:

Owner Identifier:

Label Standard Version: 4

HDR1D001

ITDS0100010001000100 93060 93060 000000 CONTROLLER

Label Identifier: HDR1

File Identifier: D001

File Set Identifier: ITDS01

File Section Number: 0001

File Sequence Number: 0001

Generation Number: 0001

Generation Version Number: 00

Creation Date: 93060

Expiration Date: 93060

File Accessibility:

Block Count: 000000

Implementation Identifier: CONTROLLER

HDR2D0204800260

00

Label Identifier: HDR2

Recording Format: D

Block Length: 02048

Record Length: 00260

Offset Length: 00



---

Implementation Identifier: CONTROLLER

HDR2D0204800260

00

Label Identifier: HDR2  
Recording Format: D  
Block Length: 02048  
Record Length: 00260  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

Actual Block Size Found = 2048 Bytes.

Number of data blocks read = 1.

\*\*\*\*\* Tape Mark \*\*\*\*\*

EOF1D002

ITDS0100010002000100 93060 93060 000001 CONTROLLER

Label Identifier: EOF1  
File Identifier: D002  
File Set Identifier: ITDS01  
File Section Number: 0001  
File Sequence Number: 0002  
Generation Number: 0001  
Generation Version Number: 00  
Creation Date: 93060  
Expiration Date: 93060  
File Accessibility:  
Block Count: 000001  
Implementation Identifier: CONTROLLER

EOF2D0204800260

00

Label Identifier: EOF2  
Recording Format: D  
Block Length: 02048  
Record Length: 00260  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

<<<<< PART OF LOG REMOVED HERE >>>>>

\*\*\*\*\* Tape Mark \*\*\*\*\*

EOF2D0204800260 00

Label Identifier: EOF2  
Recording Format: D  
Block Length: 02048  
Record Length: 00260  
Offset Length: 00

\*\*\*\*\* Tape Mark \*\*\*\*\*

\*\*\*\*\* Tape Mark \*\*\*\*\*

##### End of Volume ITDS01 #####

##### End Of Tape File Set #####

Deallocating /dev/rmt0...

Tape Import Process terminated with 0 error(s), 0 warning(s),  
and 0 note(s).

---

## 9.3 Tape File Set Validation Log

Air Force CALS Test Network File Set Evaluation - Version 1.2; Release Number 8  
Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

Tue Mar 16 08:43:28 1993

MIL-STD-1840A File Set Evaluation Log

File Set: Set072

Found file: D001

Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: John P. Kent, ITDS Chief Engineer, Northrop Corporation, B-2 Division, L591/GK  
E. Washington Blvd., Pico Rivera, CA 90660-3765 (310) 948-0624

srcdocid: ERROR\_REPORT

srcrelid: NONE

chglvl: ORIGINAL

dteisu: 19930301

dstsys: Jeff Fisher, Integration Manager, USAF CALS Test Bed, HQ AFMC (I)/ENCT,  
TechnCenter, 4027 Col. Glenn Highway, Dayton, OH 45431-1601

dstdocid: ERROR\_REPORT

dstrelid: NONE

dtetrm: 19930301

dlvacc: NONE

filcnt: T1, H1, G1

ttlcls: UNCLASSIFIED

doccls: UNCLASSIFIED

doctyp: DOCUMENT IMPROVEMENT REPORT

docttl: Error Report

Found file: D001T001

Extracting Text Header Records...

Evaluating Text Header Records...

srcdocid: ERROR\_REPORT

dstdocid: ERROR\_REPORT

txtfilid: W

doccls: UNCLASSIFIED

notes: NONE

Saving Text Header File: D001T001\_HDR

Saving Text Data File: D001T001\_TXT

Found file: D001G002  
Extracting DTD Header Records...  
Evaluating DTD Header Records...

srcdocid: ERROR\_REPORT  
dstdocid: ERROR\_REPORT  
notes: NONE

Saving DTD Header File: D001G002\_HDR  
Saving DTD Data File: D001G002\_DTD

Found file: D001H003  
Extracting Output Specification Header Records...  
Evaluating Output Specification Header Records...

srcdocid: ERROR\_REPORT  
dstdocid: ERROR\_REPORT  
notes: NONE

Saving Output Specification Header File: D001H003\_HDR  
Saving Output Specification Data File: D001H003\_OS

Evaluating numbering scheme...  
No errors were encountered during numbering scheme evaluation.  
Numbering scheme evaluation complete.

Checking file count...  
No errors were encountered during file count verification.  
File Count verification complete.

No errors were encountered in Document D001.

Found file: D002

srcsys: John P. Kent, ITDS Chief Engineer, Northrop Corporation, B-2 Division, L591/GK  
E. Washington Blvd., Pico Rivera, CA 90660-3765 (310) 948-0624

srcdocid: LOCAL\_DIRECTIVE  
srcrelid: NONE

chglvl: ORIGINAL

dteisu: 19930301

dstsys: Jeff Fisher, Integration Manager, USAF CALS Test Bed, HQ AFMC (I)/ENCT,  
TechneCenter, 4027 Col. Glenn Highway, Dayton, OH 45431-1601

dstdocid: LOCAL\_DIRECTIVE

dstrelid: NONE

dtetrm: 19930301

dlvacc: NONE

---



filcnt: T1, H1, G1, C1, Q1, R1  
ttlcls: UNCLASSIFIED  
doccls: UNCLASSIFIED  
doctyp: DIRECTIVE  
docttl: Test of local directives

Found file: D002T001  
Extracting Text Header Records...  
Evaluating Text Header Records...

srcdocid: LOCAL\_DIRECTIVE  
dstdocid: LOCAL\_DIRECTIVE  
txtfilid: W  
doccls: UNCLASSIFIED  
notes: NONE

Saving Text Header File: D002T001\_HDR  
Saving Text Data File: D002T001\_TXT

<<<< PART OF LOG FILE REMOVED HERE >>>>

Found file: D002H006  
Extracting Output Specification Header Records...  
Evaluating Output Specification Header Records...

srcdocid: LOCAL\_DIRECTIVE  
dstdocid: LOCAL\_DIRECTIVE  
notes: NONE

Saving Output Specification Header File: D002H006\_HDR  
Saving Output Specification Data File: D002H006\_OS

Evaluating numbering scheme...  
No errors were encountered during numbering scheme evaluation.  
Numbering scheme evaluation complete.

Checking file count...  
No errors were encountered during file count verification.  
File Count verification complete.

No errors were encountered in Document D002.

No errors were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

## 10. Appendix B - Detailed IGES Analysis

### 10.1 File One

#### 10.1.1 Parser/Verifier Log

```
*** IGES DATA FILE ANALYSIS ***
***      MARCH 1992      ***
***   IGES Data Analysis   ***
***   (708) 449-3430      ***
```

Input file is /mnt/Set072/D002/D002Q004\_IGS  
Checking conformance to CALS Class I (MIL-D-28000A 2/10/92)  
Today is March 16, 1993 11:07 AM

\*\*\* File and Product Name Information \*\*\*

```
File name from sender    = 'Q004.iges'
File creation Date.Time  = '930301.192405'
Model change Date.Time   = ''
Author                   = 'tom'
Department               = 'GRAPHICS'
Product name from sender = 'Q004.iges'
Destination product name = 'Q004.iges'
```

\*\*\* Parameter Delimiters \*\*\*

```
Delimiter = ','
Terminator = ';' 
```

\*\*\* Originating System Data \*\*\*

```
System ID          = 'ITDS CONVERTER: GEF_IGES'
Preprocessor version = '1.0'
Specification version = 6 (IGES 4.0)
```

\*\*\* Precision levels \*\*\*

```
Integer bits = 32
Floating point - Exponent = 38 Mantissa = 6
Double precision - Exponent = 308 Mantissa = 15
```

\*\*\* Global Model Data \*\*\*

```
Model scale          = 1.0000E+00
```

Unit flag = 1  
Units = 'IN'  
Line weights = 3  
Maximum line thickness = 1.152632E-02  
Minimum line thickness = 3.842107E-03  
Granularity = 1.000000E-03  
Maximum coordinate = 2.954101E+00

Drafting standard applicable to original data is not specified.

\*\*\* Status Flag Summary \*\*\*

Blank status:	Visible	41
	Blanked	0
Independence:	Independent	39
	Physically Subordinate	0
	Logically Subordinate	2
	Totally Subordinate	0
Entity use:	Geometry	39
	Annotation	2
	Definition	0
	Other	0
	Logical/Positional	0
	2D parametric	0
	Not Specified	0
Hierarchy:	Structure DE applies	0
	Subordinate DE applies	41
	Hierarchy property applies	0
	Not Specified	0

\*\*\* Entity Occurrence Counts \*\*\*

Entity	Form	Level	Count	Type
-----	----	-----	-----	----
106	11	0	24	Copious data - Piecewise planar, linear string(2D path)
106	63	0	8	Simple closed planar curve
110	0	0	6	Line
404	0	0	1	Drawing
406	16	0	1	Property - Drawing size
410	0	0	1	View - Orthographic parallel

\*\*\* Entity Count by Level \*\*\*

Level Count  
0 41

\*\*\* Labeling Information \*\*\*

0% of the entities are labeled.

Unlabeled 41

\*\*\* Line Fonts Used in Data \*\*\*

100	102	104	106	108	110	112	114	
-	-	-	-	-	-	-	-	Undefined
-	-	-	32	-	6	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

116	118	120	122	124	125	126	128	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

130	132	134	136	138	140	142	144	
-	-	-	-	-	-	-	-	Undefined
-	-	-	-	-	-	-	-	Solid
-	-	-	-	-	-	-	-	Dashed
-	-	-	-	-	-	-	-	Phantom
-	-	-	-	-	-	-	-	Center-line
-	-	-	-	-	-	-	-	Dotted
-	-	-	-	-	-	-	-	User defined

\*\*\* Line Widths Used in Data \*\*\*

Weight	Count	Width
Defaulted	31	(0.0038)

---

2 10 (0.0077)

\*\*\* Colors Used in Data \*\*\*

Defaulted 3  
Red 8  
Green 30

\*\*\*\*\*  
\*\*\*\*\* ENTITY ANALYSIS \*\*\*\*\*  
\*\*\*\*\*

\*\*\* Entity type: 106

\*\*\* Entity type: 110

-- 6 lines averaging 1.362447E-01 units --

\*\*\* Entity type: 404

Drawing at D 5 contains 1 views.  
Drawing at D 5 contains 0 annotation entities.

\*\*\* Entity type: 406

\*\*\* Entity type: 410

Scale of view at D 1 is 1.000000E+00.  
Orthographic View entity at D 1 has 0 clipping planes specified.  
XMIN = Not Set XMAX = Not Set  
YMIN = Not Set YMAX = Not Set  
ZMIN = Not Set ZMAX = Not Set

\*\*\* Message Summary \*\*\*


\*\*\* Error Summary \*\*\*

0 fatal errors  
0 severe errors  
0 errors  
0 warnings  
0 cautions  
0 nitpicks  
0 notes


\*\*\* End of Analysis of /mnt/Set072/D002/D002Q004\_IGS \*\*\*

---

### 10.1.2 Output Cadkey v5.02



### 10.1.3 Output IGESView




#### 10.1.4 Output iges2draw/IslandDraw





### 10.1.5 Output IGESWork



---

## 11. Appendix C - Detailed SGML Analysis

### 11.1 Exoterica Parser

#### 11.1.1 Document One - DTD Log

```
<!DOCTYPE doc [  
  
<!ELEMENT doc - - (front,body,closing) +(viewdef)>  
<!ATTLIST doc  
  branch    CDATA #IMPLIED  
  docid     NMTOKEN #IMPLIED  
  foscicite CDATA #REQUIRED>  
  
<!ELEMENT viewdef - o (viewport+)>  
  
<!ELEMENT viewport - o EMPTY>  
<!ATTLIST viewport  
  name          ID          #REQUIRED  
  viewstyleid   NMTOKEN    #IMPLIED  
  coord         CDATA      #IMPLIED>  
  
<!ELEMENT front - o (a11|a12|a21|a22|a23|a24|a25|a26|a27|a28|  
  a31|a32|a33|a34|a35|a41|a42|a43|a44|a45|a51|a52|a53|  
  a54|a55|a61|a71|a72|a73|a81|a82|a82a|a82b|a83|a84|  
  a91|a92|a93|a94|a95|a96|a97|a98|a99|aA1|aA2|aA3|aA4|  
  aA5|aA6|aA7|aA8|aA9|aAA|aAB|aB1|aB2|aB3|aB4|aB5|aB6|  
  aC1|aC2|aC3|aC4|aC5|aC6|aC7|aC8|aC9|aD1|aD2|aD3|aE1|  
  aF1|aF2|aF3)+>  
  
<!ELEMENT (a11|a12|a21|a22|a23|a24|a25|a26|a27|a28|a31|a32|a33)  
  - o (#PCDATA)>  
<!ELEMENT (a34|a35|a41|a42|a43|a44|a45|a51|a52|a53|a54|a55|a61|a71|a72|  
  a73|a81|a82|a82a|a82b|a83|a84|a91|a92|a93|a94|a95|a96|a97|a98) - o (#PCDAT  
<!ELEMENT (a99|aA1|aA2|aA3|aA4|aA5|aA6|aA7|aA8|aA9|aAA|aAB|aB1|aB2|aB3|  
  aB4|aB5|aB6|aC1|aC2|aC3|aC4|aC5|aC6|aC7|aC8|aC9|aD1|aD2|aD3|  
  aE1|aF1|aF2|aF3) - o (#PCDATA)>  
  
<!ELEMENT body - o (#PCDATA)>  
  
<!ELEMENT closing - o (#PCDATA)>  
  


---


```

---

## 11.1.2 Document Two - DTD Log

```
C:\XGML\XGMLNORM.EXE --  
Error on line 466 in file entities/93222.dtd:  
A content model is ambiguous.  
For element 'TOC'. The input is 'CONTENTSEENTRY'.  
<!-- The document prolog is in error. -->
```

## 11.1.3 Document Two - Text File

```
C:\XGML\XGMLNORM.EXE --  
Error on line 30 in file i:\9322\d002t001:  
Unexpected start tag encountered.  
The start tag is for element 'PARA'.  
The current element is 'NOTICE'.  
End tags for the following elements are allowed: 'NOTICE', 'IDINFO',  
'FRONT'.  
Start tags for the following elements are allowed: 'APPLICABIL',  
'APPLICDEF', 'BODY', 'CHANGE', 'CHGNUM', 'DEFLIST', 'EMPHASIS',  
'EXTREF', 'FOREWORD', 'GRAPHIC', 'HCI', 'HCP', 'ILLUSLIST', 'LEPS',  
'NOTICE', 'OCP', 'PUBDATE', 'RANDLIST', 'REVNUM', 'SEQLIST',  
'TABLELIST', 'TOC', 'XREF'.  
Start tags for the following inclusions are allowed: 'BRK', 'HRULE',  
'PGBRK'.  
Text is allowed.  
The element 'PARA' will be treated as an inclusion.
```

```
C:\XGML\XGMLNORM.EXE --  
Error on line 33 in file i:\9322\d002t001:  
Unexpected start tag encountered.  
The start tag is for element 'PARA'.  
The current element is 'NOTICE'.  
End tags for the following elements are allowed: 'NOTICE', 'IDINFO',  
'FRONT'.  
Start tags for the following elements are allowed: 'APPLICABIL',  
'APPLICDEF', 'BODY', 'CHANGE', 'CHGNUM', 'DEFLIST', 'EMPHASIS',  
'EXTREF', 'FOREWORD', 'GRAPHIC', 'HCI', 'HCP', 'ILLUSLIST', 'LEPS',  
'NOTICE', 'OCP', 'PUBDATE', 'RANDLIST', 'REVNUM', 'SEQLIST',  
'TABLELIST', 'TOC', 'XREF'.  
Start tags for the following inclusions are allowed: 'BRK', 'HRULE',  
'PGBRK'.  
Text is allowed.  
The element 'PARA' will be treated as an inclusion.
```

---

C:\XGML\XGMLNORM.EXE --

Error on line 36 in file i:\9322\d002t001:

Unexpected start tag encountered.

The start tag is for element 'PARA'.

The current element is 'NOTICE'.

End tags for the following elements are allowed: 'NOTICE', 'IDINFO', 'FRONT'.

Start tags for the following elements are allowed: 'APPLICABIL', 'APPLICDEF', 'BODY', 'CHANGE', 'CHGNUM', 'DEFLIST', 'EMPHASIS', 'EXTREF', 'FOREWORD', 'GRAPHIC', 'HCI', 'HCP', 'ILLUSLIST', 'LEPS', 'NOTICE', 'OCP', 'PUBDATE', 'RANDLIST', 'REVNUM', 'SEQLIST', 'TABLELIST', 'TOC', 'XREF'.

Start tags for the following inclusions are allowed: 'BRK', 'HRULE', 'PGBRK'.

Text is allowed.

The element 'PARA' will be treated as an inclusion.

C:\XGML\XGMLNORM.EXE --

Error on line 40 in file i:\9322\d002t001:

Unexpected start tag encountered.

The start tag is for element 'PARA'.

The current element is 'NOTICE'.

End tags for the following elements are allowed: 'NOTICE', 'IDINFO', 'FRONT'.

Start tags for the following elements are allowed: 'APPLICABIL', 'APPLICDEF', 'BODY', 'CHANGE', 'CHGNUM', 'DEFLIST', 'EMPHASIS', 'EXTREF', 'FOREWORD', 'GRAPHIC', 'HCI', 'HCP', 'ILLUSLIST', 'LEPS', 'NOTICE', 'OCP', 'PUBDATE', 'RANDLIST', 'REVNUM', 'SEQLIST', 'TABLELIST', 'TOC', 'XREF'.

Start tags for the following inclusions are allowed: 'BRK', 'HRULE', 'PGBRK'.

Text is allowed.

The element 'PARA' will be treated as an inclusion.

---

## 11.2 SGML Parser Logs

### 11.2.1 Document One - DTD Log

sgmls: SGML error at 9322.dtd, line 20 in declaration parameter 4:  
Content model token 33: more than GRPCNT model group tokens; terminated

sgmls: SGML error at 9322.dtd, line 26 at "<":  
Invalid character(s) ignored; attempting to resume DOCTYPE subset

sgmls: SGML error at 9322.dtd, line 33 in declaration parameter 2:  
Minimization must be "-" or "O" (not "F2"); declaration terminated

sgmls: SGML error at 9322.dtd, line 36 at "<":  
Invalid character(s) ignored; attempting to resume DOCTYPE subset

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA1" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA2" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA3" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA4" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA5" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA6" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA7" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA8" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AA9" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AB1" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AAA" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AB2" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AAB" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AB3" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AB4" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:  
Element "AB5" used in DTD but not defined

sgmls: Warning at 9322.err, line 1 at record start:

---

---

Element "AB6" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC1" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC2" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC3" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC4" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC5" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC6" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC7" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC8" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AC9" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AD1" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AD2" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AD3" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AE1" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "AF1" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "A99" used in DTD but not defined  
sgmls: Warning at 9322.err, line 1 at record start:  
Element "FRONT" used in DTD but not defined

TOTALCAP 2048/200000  
ELEMCAP 1536/200000  
GRPCAP 256/200000  
EXGRPCAP 32/200000  
EXNMCAP 32/200000  
ATTCAP 192/200000

---

## 11.2.2 Document Two - DTD Log

sgmls: Error at 93222.dtd, line 24 in declaration parameter 5:  
Could not find external general entity "apple2d.igs"  
sgmls: Error at 93222.dtd, line 25 in declaration parameter 5:  
Could not find external general entity "cals.cgm"  
sgmls: Error at 93222.dtd, line 26 in declaration parameter 5:  
Could not find external general entity "test1.ras"  
sgmls: SGML error at 93222.dtd, line 468 in declaration parameter 4:  
Content model is ambiguous

TOTALCAP 51477/200000  
ENTCAP 7648/200000  
ENTCHCAP 3873/200000  
ELEMCA 3456/200000  
GRPCAP 20256/200000  
EXGRPCAP 256/200000  
EXNMCAP 544/200000  
ATTCAP 10752/200000  
ATTCHCAP 296/200000  
AVGRPCAP 3840/200000  
NOTCAP 192/200000  
NOTCHCAP 364/200000

## 11.2.3 Document Two - Text Log

sgmls: Error at 93222.dtd, line 24 in declaration parameter 5:  
Could not find external general entity "apple2d.igs"  
sgmls: Error at 93222.dtd, line 25 in declaration parameter 5:  
Could not find external general entity "cals.cgm"  
sgmls: Error at 93222.dtd, line 26 in declaration parameter 5:  
Could not find external general entity "test1.ras"  
sgmls: SGML error at 93222.dtd, line 468 in declaration parameter 4:  
Content model is ambiguous  
sgmls: SGML error at i:\9322\d002t001, line 30 at ">":  
BODY start-tag implied by PARA start-tag; not minimizable  
Element structure: DOC  
sgmls: SGML error at i:\9322\d002t001, line 30 at ">":  
PARA element not allowed at this point in BODY element  
Element structure: DOC BODY  
sgmls: SGML error at i:\9322\d002t001, line 32 at ">":  
NOTICE element not allowed at this point in BODY element  
Element structure: DOC BODY  
sgmls: SGML error at i:\9322\d002t001, line 33 at ">":

---

PARA element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 35 at ">":  
NOTICE element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 36 at ">":  
PARA element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 39 at ">":  
NOTICE element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 40 at ">":  
PARA element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 42 at ">":  
NOTICE element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 44 at ">":  
PUBDATE element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 46 at ">":  
BODY element not allowed at this point in BODY element  
Element structure: DOC BODY

sgmls: SGML error at i:\9322\d002t001, line 82 at "":  
BOARDNO = "cals.cgm" ENTITY attribute not general entity; may affect processing  
Element structure: DOC BODY BODY CHAPTER GENPROC TASK STEP1 RESULT FIGURE

sgmls: SGML error at i:\9322\d002t001, line 109 at "":  
BOARDNO = "test1.ras" ENTITY attribute not general entity; may affect processing  
Element structure: DOC BODY BODY CHAPTER GENPROC TASK STEP1 PARA FIGURE

sgmls: SGML error at i:\9322\d002t001, line 122 at "":  
BOARDNO = "apple2d.igs" ENTITY attribute not general entity; may affect processing  
Element structure: DOC BODY BODY CHAPTER GENPROC TASK STEP1 PARA FIGURE

sgmls: SGML error at i:\9322\d002t001, line 125 at ">":  
BODY element ended prematurely; required subelement omitted  
Element structure: DOC BODY

TOTALCAP 52117/200000  
ENTCAP 7648/200000  
ENTCHCAP 3873/200000  
ELEMCA 3456/200000  
GRPCAP 20256/200000  
EXGRPCAP 256/200000  
EXNMCA 544/200000  
ATTCAP 10752/200000  
ATTCHCAP 296/200000  
AVGRPCAP 3840/200000  
NOTCAP 192/200000

---



AFCTN Test Report  
93-065

AFCTB Test Report  
93-022

---

NOTCHCAP 364/200000  
IDCAP 160/200000  
IDREFCAP 480/200000